



YOUR 3D PRINTING SUCCESS STORY BEGINS HERE



OUR OFFERING. MADE FOR VALUE MAKING.

IGNITE

UPSCALE YOUR PRODUCTION

MAXIMIZED PRODUCTIVITY

BUILD SIZE 600 x 400 x 400mm

200°C SMART HEATED CHAMBER (TBD)

ULTEM AM9085F™, PACF, PC, ABS, ASA, PEKK-A,

PVDF, PEEK, PEKK and more.



ULTRA2

SUPERLATIVE OF PERFORMANCE

MAXIMIZED PERFORMANCE

BUILD SIZE 330 x 180 x 180mm

250°C SMART HEATED CHAMBER

ACCESS TO ALL MATERIALS: TPI, PPSU, PSU, PPS,

ULTEM1010, ULTEM9085, PEEK, PEKK, PAEK, PACF, ABS, ASA,

PEKK-A, PVDF and many more.

INTEGRATED ANNEALING

BOTH SYSTEMS ARE EQUIPPED WITH
INTEGRATED MATERIAL DRYING
REMOTE CONTROL & LIVE FEED
QUALITY ASSURANCE TECHNOLOGY
DUAL EXTRUDER FOR SUPPORT MATERIALS

AEROSPACE
RAILWAY
DEFENSE
MARINE
GENERAL ENGINEERING
LARGE SIZE PARTS
ULTEM9085/PA-CF PARTS
TECHNICAL POLYMER PARTS
COMPOSITE PARTS
FOR ALL INDUSTRIES!

FOR WHO?

RESEARCH
R&D
EDUCATIONAL
MEDICAL DEVICE
OIL & GAS
MATERIAL MANUFACTURERS
FINE DETAIL PARTS
PEEK, PEKK, PPSU, ULTEM1010 PARTS
COMPOSITE PARTS
FOR DEMANDING APPLICATIONS!



MINIFACTORY CORNERSTONES



PRODUCTIVE

Improved technical solutions together with software optimizations enables increased output with well-known miniFactory quality.



STRONG

Smart triple sensed heated chamber and optimized airflow ensure precise temperature management for stronger parts.



SMART

Real-time quality assurance technology together with automatic production supervision ensure high-quality manufacturing.



SMOOTH

Usability due simplified user interface equipped with remote control lets you control the printer anywhere. Industry 4.0 compatible system.

IGNITE

UPSCALE YOUR PRODUCTION

Ignite is the ultimate solution that combines high temperatures, massive build size, advanced quality assurance technology and excellent cost effectiveness.



★ MASSIVE BUILD SIZE

With the miniFactory Ignite, you can think big! The Ignite offers an expansive printing space of 600 x 400 x 400mm, enabling you to bring your grandest ideas to life. Whether you're creating functional prototypes, large-scale models, or end parts, our printer can handle it all. Say goodbye to size limitations!

IGNITE

UPSCALE YOUR PRODUCTION

Ignite is the ultimate solution that combines high temperatures, massive build size, advanced quality assurance technology and excellent cost effectiveness.



★ AFFORDABLE EXCELLENCE

We understand that cost can be a significant barrier to 3D printing adoption. That's why Ignite is here to disrupt the market by rationalizing ROI. You get all the benefits of a high-performance technology without breaking the bank. The Ignite is built to last and it's an investment that pays off over time.



★ UNMATCHED PRODUCTIVITY

Time is money, and the Ignite saves you both. Thanks to its advanced technology and efficient printing processes, you'll experience improved productivity without compromising on quality. Get more done in less time, boosting your productivity to new heights.

IGNITE

UPSCALE YOUR PRODUCTION

Ignite is the ultimate solution that combines high temperatures, massive build size, advanced quality assurance technology and excellent cost effectiveness.



- ★ **MASSIVE BUILD SIZE** - 600 x 400 x 400mm
- ★ **TEMPERATURES** - BUILD CHAMBER +200C, BED 200C, NOZZLE 480C
- ★ **MATERIALS** - ULTEM9085, PACF, PC, ABS, ASA, PEKK-A, PVDF etc. (PEEK, PEKK)
- ★ **EXTRUDERS** - 2 EXTRUDERS (MAIN MATERIAL + SUPPORT MATERIAL)
- ★ **QUALITY ASSURANCE** - MINIFACTORY AARNI QA (INCL. REMOTE + ONBOARD CAMERA)
- ★ **MATERIAL DRYING** - INTEGRATED
- ★ **FOR WHO?**
 - AEROSPACE
 - RAILWAY
 - DEFENSE
 - MARINE
 - GENERAL ENGINEERING
- LARGE SIZE PARTS**
- ULTEM9085/PACF/TECHNICAL POLYMER PARTS**
- FOR ALL INDUSTRIES!**

IGNITE USE CASES



★ **Aerospace duct:**

Part size: 505x360x390mm, weight 1,5kg

Material: ULTEM AM9085F

Printing time: 24h



★ **Lay-up mold:**

Part size: 530x195x40mm, weight 0,85kg

Material: PA-CF

Printing time: 18h

ULTRA2

SUPERLATIVE OF PERFORMANCE

Ultra2 is the perfect solution when you want a 3D printer with maximum performance and versatility.



★ UNMATCHED PERFORMANCE

Ultra2's advanced 250C heated chamber not only unlocks the ability to utilize materials like PEEK, PEKK, ULTEM1010, PPSU, PSU, and TPI, but it also empowers professionals in R&D to push boundaries. With Ultra2, you're not just investing in a 3D printer; you're investing in limitless possibilities.

ULTRA2

SUPERLATIVE OF PERFORMANCE

Ultra2 is the perfect solution when you want a 3D printer with maximum performance and versatility.



★ PRIME PRODUCTION

Built for top-tier applications where quality is key. With streamlined processes ready for tough demands, it's your reliable project partner. Cost-effective solution and trusted by multiple industries in over 20 countries.



★ ENHANCED VERSATILITY

One platform, all materials. Embrace the open-material system — Ultra2 is the quintessential 3D printing powerhouse. Dive into a world where research, development, and delivery converge seamlessly. Ultra2 is equipped with integrated annealing system.

ULTRA2

SUPERLATIVE OF PERFORMANCE

Ultra2 is the perfect solution when you want a 3D printer with maximum performance and versatility.



- ★ **BUILD SIZE** - 330 x 180 x 180mm
- ★ **TEMPERATURES** - BUILD CHAMBER 250C, BED 250C, NOZZLE 480C
- ★ **MATERIALS** - TPI, PPSU, PSU, PPS, ULTEM1010, ULTEM9085, PEEK, PEKK, PACF, ABS, ASA, PEKK-A, PVDF etc.
- ★ **EXTRUDERS** - 2 EXTRUDERS (MAIN MATERIAL + SUPPORT MATERIAL)
- ★ **QUALITY ASSURANCE** - MINIFACTORY AARNI QA (INCL. REMOTE + ONBOARD CAMERA)
- ★ **MATERIAL DRYING & ANNEALING**- INTEGRATED
- ★ **FOR WHO?**
 - RESEARCH
 - R&D
 - EDUCATIONAL
 - MEDICAL DEVICE
 - OIL & GAS
 - MATERIAL MANUFACTURERS
 - FINE DETAIL PARTS**
 - PEEK, PEKK, PPSU, ULTEM1010 PARTS**

FOR DEMANDING APPLICATIONS!

ULTRA2 USE CASES



★ **Satellite housing part**

Part size: 120x90mm

Material: PEEK-CF

★ **Sterilization tray**

Part size: 230x140x100mm

Material: PPSU



★ **Sealing ring**

Part size: 150x10mm

Material: PEKK

★ **Mechanical gear**

Part size: 90x15mm

Material: IGLIDUR



SPECIFICATIONS

IGNITE

200°C
200°C
480°C

AC-SERVO MOTORS & BALL SCREWS CLASS C3
0,016MM/600MM
300MM/S
0,4 – 1,0MM
+150G/HR (TBD)

2, SEPARABLE EXTRUDERS (SUPPORT MATERIALS)
600MM X 400MM X 400MM

ULTEM9085, PA, PC, ASA, ABS, PVDF, (PEKK, PEEK) + MORE
+ WIDE RANGE OF GF/CF COMPOSITES AND ESD POLYMERS

INTERNAL VACUUM SYSTEM
FULLY AUTOMATIC CALIBRATION
10" TOUCH SCREEN
ACTIVATED CARBON FILTERING

1,75MM
LIQUID COOLING & AIR COOLING
JAM & RUNOUT SENSORS

AARNI – QUALITY ASSURANCE TECHNOLOGY
REMOTE CONTROL + ON-BOARD CAMERA
MATERIAL DRYING CHAMBER
SMART MAINTENANCE INTERVALS
FULL SYSTEM STATISTICS

SIMPLIFY 3D, CURA
CE, UKCA
155 X 85 X 175CM – 520KG
400V/16A 3-PHASE

CHAMBER TEMPERATURE
PLATFORM TEMPERATURE
EXTRUDER TEMPERATURE

MECHANICS
REPEATABILITY
MAX. SPEED
NOZZLE SIZES
MAX. PRODUCTIVITY

EXTRUDERS
BUILD SIZE

MATERIALS

BUILD PLATFORM
LEVELING
UI
SAFETY

FILAMENT DIAMETER
COOLING
SENSING

INTEGRATED FEATURES

SLICING SOFTWARE
CERTIFICATION
DEVICE MEASUREMENT
POWER REQUIREMENT

ULTRA2

250°C
250°C
480°C

AC-SERVO MOTORS & BALL SCREWS CLASS C5
0,025MM/400MM
200MM/S
0,3-1,0MM
~40G/HR

2, SEPARABLE EXTRUDERS (SUPPORT MATERIALS)
330MM X 180MM X 180MM

TPI, ULTEM1010, PPSU, PSU, PPS, PEKK, PEEK, ULTEM9085, PVDF, PA, PC + MORE
+ WIDE RANGE OF GF/CF COMPOSITES AND ESD POLYMERS

INTERNAL VACUUM SYSTEM
FULLY AUTOMATIC CALIBRATION
10" TOUCH SCREEN
ACTIVATED CARBON FILTERING

1,75MM
LIQUID COOLING & AIR COOLING
JAM & RUNOUT SENSORS

AARNI – QUALITY ASSURANCE TECHNOLOGY
REMOTE CONTROL + ON-BOARD CAMERA
MATERIAL DRYING CHAMBER
SMART MAINTENANCE INTERVALS
FULL SYSTEM STATISTICS
INTEGRATED ANNEALING SYSTEM

SIMPLIFY 3D, CURA
CE, UKCA
100 X 80 X 190CM – 320KG
400V/16A 3-PHASE

MATERIALS **APPROVED** BY THE INDUSTRIES

With miniFactory you have access for the widest material range on the market without any additional licenses or fees.

From commodity and engineering polymers all the way up to the most demanding high-performance polymers and composites. Material range is many times wider than in “closed systems” or in the systems with lower chamber temperature.




ENGINEERING MATERIALS

Produce parts utilizing a broad spectrum of established engineering polymers.



CARBON FIBER MATERIALS

Build strong and lightweight parts by choosing carbon fiber reinforced polymers to the metal replacement applications.



PEEK/PEKK/PAEK MATERIALS

Make valuable PEEK parts in-house with all materials of the PAEK Polymer family.



VALIDATED MATERIALS

Making parts for aerospace or motorsports?
Are you looking for a material compatible for EN45455 or UL94 V-0?


QUALITY ASSURANCE **TECHNOLOGY**

OUR STATE-OF-THE-ART QUALITY ASSURANCE TECHNOLOGY TRANSFORMS YOUR MANUFACTURING EXPERIENCE.




THREE-LAYER **QUALITY** ASSURANCE

BENEFIT FROM REAL-TIME MONITORING, LAYER-BY-LAYER INSPECTION, AND A COMPREHENSIVE PROCESS HISTORY, ENSURING TOP-NOTCH QUALITY AND RELIABILITY IN 3D PRINTING.




REMOTE CONTROL & LIVE FEED

Install **Remote control software** on your computer and get complete control of your miniFactory ecosystem. The remote control software can be used to manage, monitor and plan production using one or multiple devices.



PRODUCTION SUPERVISION

Real-time supervision is a completely new and unique feature that takes production monitoring to the next level. The software monitors quality and, thanks to the **Smart Command** feature, works independently in different situations.




LAYER-BY-LAYER INSPECTION

Layer-by-layer 3D printing quality assurance ensures that the process has been completed as desired. Create a manufacturing document that highlights the entire printing process and proves the quality.

WHICH **PART** WOULD YOU PICK?


MINIFACTORY QUALITY ASSURANCE TECHNOLOGY – A PREREQUISITE FOR RELIABLE MANUFACTURING.
CREATES TRUST AND TRANSPARENCY IN PART PRODUCTION AND ENSURE THE PART IS CERTIFIED AND COMPLETED AS DESIRED.

WITH MINIFACTORY QUALITY ASSURANCE TECHNOLOGY



MATERIAL HISTORY
OPERATOR INFORMATION
LAYER-BY-LAYER VISUALIZATION
PROCESS HISTORY
MANUFACTURING REPORT
MASTER SAMPLE – PROVEN QUALITY


NO QUALITY ASSURANCE



ANYTIME. ANYWHERE. **VERIFIED.**

THE QUALITY ASSURANCE TECHNOLOGY COMPARES THE DATA AND CONFIRMS THE REPEATABILITY OF THE PRODUCTION.

STORE MANUFACTURING PARAMETERS ON DIGITAL “MASTER SAMPLE” DOCUMENT. TO ENSURE THE SAME QUALITY OF THE CORRESPONDING PARTS ANYTIME AND ANYWHERE IN THE FUTURE, THE QUALITY ASSURANCE TECHNOLOGY COMPARES THE DATA AND CONFIRMS THE REPEATABILITY OF THE PRODUCTION.



THREE **REASONS** FOR MINIFACTORY

RELIABLE AND EASY WORKFLOW

We have packed our **10 years of experience** into the straightforward and **understandable usability of our products**, enabling you to produce successful 3D prints time after time.

As high-performance polymer printing is technology-intensive, it can easily become complex. However, thanks to our experience, we have succeeded in making the miniFactory Ultra printer **easy to use**.

WARRANTY UP TO 5 YEARS

Our technology is designed for daily industrial use. The assembly expertise, combined with high-quality components and a comprehensive service offering, enables a **warranty of up to 5 years**.

With our **optimized service plan** and authorized support network, you have **local partner to support you throughout the life-cycle of the system**.

SENSIBLE INVESTMENT AND SATISFIED CUSTOMERS

The miniFactory Ultra 3D printer is a unique solution that enables reliable 3D printing of high-performance polymers. Due to its durable features, it is **one of the most cost-effective solutions on the market**.

We have delivered miniFactory Ultra 3D printers to more than 20 countries. **Our customer satisfaction is top class all around the world**, as our equipment and services are supreme.



OUR TECHNOLOGY IS TRUSTED BY



ALSTOM



SAFRAN

BAE SYSTEMS



SKF



ACC
AUTOMOTIVE CELLS CO



Deutsches Zentrum
für Luft- und Raumfahrt
German Aerospace Center

PERMASCAND

KIMYA
Additive Manufacturing by AM-3D-COM

BASF | FORWARD

SME
Elektro-Group

UNIVERSITY OF
EXETER

ANLAUF
FABRIK

XAMK
South-Eastern Finland
University of Applied Sciences



CONTACT US



miniFactory Oy Ltd

TIEDEKATU 2

60320 SEINÄJOKI

FINLAND

VAT ID: FI25182357

WWW.MINIFACTORY.FI

DISCLAIMER: INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE GIVEN IN GOOD FAITH. HOWEVER, MINIFACTORY MAKES NO EXPRESS OR IMPLIED REPRESENTATION, WARRANTY OR GUARANTEE (i) THAT ANY RESULTS DESCRIBED IN THIS DOCUMENT WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN OR APPLICATION INCORPORATING MINIFACTORY'S MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS. MINIFACTORY SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS, SERVICES OR RECOMMENDATIONS DESCRIBED IN THIS DOCUMENT.

Each user is responsible for making its own determination as to the suitability of MINIFACTORY'S materials, products, services or recommendations for the user's particular use through appropriate end-use and other testing and analysis. This MINIFACTORY data is for comparative purposes only.